






FIG. 1




*FIG. 2A*




*FIG. 2B*




*FIG. 2C*




**FIG. 3**




*FIG. 4*




LINE SEGMENT




CIRCLE




CIRCULAR ARC



ELLIPSE




ELLIPTICAL ARC




SEGMENT STRING

**FIG. 5**



**FIG. 6**



*FIG. 7*

```
101 10001
    0.000e+00 0.000e+00
    1001 2001 3001 4001

101 10002
    2.500e+02 2.000e+02
    1001 2001 3001 4001

103 10003 6
    9.000e+01 1.000e+02
    1.100e+02 8.000e+01
    1.400e+02 1.900e+02
    1.900e+02 1.000e+01
    2.300e+02 1.000e+02
    2.400e+02 1.000e+02
    1002 2002 3001 5001


104 10004
    4.000e+01 6.000e+01 3.000e+01
    1002 2002 3002 5001

104 10005
    4.000e+01 1.400e+02 3.000e+01
    1002 2002 3003 5001


901 1001 1 0 0
901 1002 1 1 0
902 2001 1 0
902 2002 1 1
903 3001 1 1
    1.0000+00 0.000e+00 0.000e+00
903 3002 1 1
    0.0000+00 0.000e+00 1.000e+00
903 3003 1 1
    0.0000+00 1.000e+00 0.000e+00
904 4001 0
    IIII

905 5001 1 1 5 1 3 2
    0.000e+00 0.000e+00
    0.000e+00 0.000e+00
    2.000e+01
```


*FIG. 8*




*FIG. 9*



*FIG. 10A*



*FIG. 10B*






*FIG. 11*

GRAPHIC DATA PRINTING ATTRIBUTE EDITING				
LINE TYPE:	<input checked="" type="radio"/> SOLID LINE	<input type="radio"/> BROKEN LINE	<input type="radio"/> ONE CHAIN LINE	<input type="radio"/> TWO-DOT CHAIN LINE
LINE WIDTH:	<input type="text" value="0.01"/>	mm	<input type="text" value="0.000394"/>	inch
LINE WIDTH DIRECTION:	<input checked="" type="radio"/> CENTER	<input type="radio"/> OUTSIDE	<input type="radio"/> INSIDE	
END EDGE SHAPE:	<input type="radio"/> ROUND	<input checked="" type="radio"/> FLAT	<input type="radio"/> SQUARE	
CONNECTION SHAPE:	<input checked="" type="radio"/> MITER	<input type="radio"/> ROUND	<input type="radio"/> BEVEL	
<input type="text" value="LINE PITCH"/>		<input type="text" value="DELETE"/>	<input type="text" value="SET"/>	

1101

*FIG. 12*


LINE PITCH EDITING (TWO-DOT CHAIN LINE)					
LINE PITCH a :	<input type="text" value="3"/>	mm	<input type="text" value="0.11811"/>	inch	
LINE PITCH b :	<input type="text" value="1"/>	mm	<input type="text" value="0.03937"/>	inch	
LINE PITCH c :	<input type="text" value="1"/>	mm	<input type="text" value="0.03937"/>	inch	
LINE PITCH d :	<input type="text" value="1"/>	mm	<input type="text" value="0.03937"/>	inch	




a   b   c   d

1201


*FIG. 13*




**FIG. 14**




**FIG. 15**




*FIG. 16*




*FIG. 17*




*FIG. 18*




**FIG. 19**



*FIG. 20*




*FIG. 21*







*FIG. 22*




*FIG. 23*



*FIG. 24*



*FIG. 25*



**FIG. 26**

**SYMBOL LAYOUT**

**SYMBOL NAME LIST**

sym001

sym002

**sym003**

sym004

sym005

**SYMBOL RETRIEVAL CONDITION :**

sym\*

**SYMBOL NAME :**

sym003

**REFERENCE POSITION**

☐ TOP LEFT   ☐ TOP   ☐ TOP RIGHT

☐ LEFT   ☐ CENTER   ☐ RIGHT

☒ BOTTOM LEFT   ☐ BOTTOM   ☐ BOTTOM RIGHT

**SIZE**

☒ HEIGHT

☐ WIDTH


0 mm

**ANGLE :** 0 deg


**LIST**   **CONTENT**   **DELETE**   **EXECUTE**

2601


FIG. 27




**FIG. 28**




**FIG. 29**



*FIG. 30A*



*FIG. 30B*



**FIG. 31**

SYMBOL STATE SELECTION		
AFTER STORAGE OF FILE SOME SYMBOLS ARE CHANGED PLEASE SELECT STATE OF SYMBOL TO BE READ OUT		
STORAGE TIME	LATEST	ARBITRARY

3101

**FIG. 32**

SYMBOL DATE INPUT		
WHAT IS DATE OF SYMBOL FOR READ OUT ? PLEASE INPUT DATE AND TIME		
DATE :	97/01/01	3202
TIME :	00 : 00 : 00	3203
DELETE		EXECUTE

3201



*FIG. 33*

**CeEg**  
**ceg**

**FIG. 34**




FIG. 35

TEXT EDITING

TYPEFACE NAME LIST

KAKU GOTHIC

MARU GOTHIC

HELVETICA 1

HELVETICA 2

COURIER 1

COURIER 2

TIMES 1

REFERENCE POSITION

☐ TOP LEFT   ☐ TOP   ☐ TOP RIGHT

☐ LEFT   ☐ CENTER   ☐ RIGHT

☒ BOTTOM LEFT   ☐ BOTTOM   ☐ BOTTOM RIGHT

LINE JUSTIFICATION

☒ LEFT   ☐ CENTER

☐ RIGHT   ☐ FULL

PRINTING ATTRIBUTE

REFERENCE CHARACTER HEIGHT :

mm

CHARACTER SIZE :

point

VERTICAL SCALE :

%

HORIZONTAL SCALE :

%

BASE LINE ROTATE ANGLE :

deg

OBLIQUE ANGLE :

deg

CHARACTER SPACING :

mm


LINE SPACING :

mm


CHARACTER STRING :

DELETE   EXECUTE


*FIG. 36A*




*FIG. 36B*




*FIG. 37*




*FIG. 38*




*FIG. 39*




*FIG. 40*




*FIG. 41A*



*FIG. 41B*



*FIG. 41C*



*FIG. 41D*







FIG. 42



**FIG. 43**

MANUAL DRAGONFLY SETTING

SHAPE				OFFSET	
<input checked="" type="radio"/> L	<input type="radio"/> L	<input type="radio"/> F	<input type="radio"/> T	<input checked="" type="radio"/> NO	
<input type="radio"/> H	<input type="radio"/> F	<input type="radio"/> L	<input type="radio"/> T	<input type="radio"/> YES	
<input type="radio"/> -	<input type="radio"/> I	<input type="radio"/> +			


4302

4303


DELETE EXECUTE

4301


*FIG. 44A*




*FIG. 44B*




*FIG. 45A*




*FIG. 45B*



*FIG. 46A*



*FIG. 46B*



*FIG. 47*

SCALE DRAGONFLY SETTING

MAGNIFICATION:  TIMES

LENGTH:  mm

ARRANGEMENT POSITION

☒ TOP ☐ LEFT ☐ BOTTOM LEFT

DELETE EXECUTE

4701

4702

4703

4704

**FIG. 48**





FIG. 49





**FIG. 50**

BAR CODE SETTING	
<div>CLASSIFICATION</div> <div><input checked="" type="radio"/> JAN/EAN STANDARD <input type="radio"/> CODE39 <input type="radio"/> UPC STANDARD <input type="radio"/> ITF STANDARD</div>	<div>SIZE</div> <div>MAGNIFICATION: <input type="text" value="1"/> TIMES HEIGHT: <input type="text" value="26.57"/> mm ANGLE: <input type="text" value="0"/> deg</div>
<div>REFERENCE POSITION</div> <div><input type="radio"/> TOP LEFT   <input type="radio"/> TOP   <input type="radio"/> TOP RIGHT <input type="radio"/> LEFT   <input type="radio"/> CENTER   <input type="radio"/> RIGHT <input checked="" type="radio"/> BOTTOM LEFT   <input type="radio"/> BOTTOM   <input type="radio"/> BOTTOM RIGHT</div>	<div>CODE NOTATION</div> <div><input checked="" type="radio"/> YES <input type="radio"/> NO</div>
	<div>CODE: <input type="text" value="12341234123"/></div>
	<div>DELETE   EXECUTE</div>

*FIG. 51*



*FIG. 54*





FIG. 52



**FIG. 53**

**PROOF SHEET OUTPUT CONDITION SETTING**

MAGNIFICATION:  5302 TIMES      NUMBER OF COPIES:  5303 COPY


PAPER SIZE: ☒ A4   ☐ A3   ☐ A2      PAPER DIRECTION: ☒ VERTICAL   ☐ HORIZONTAL   ☐ AUTO

5304      5305

5301

*FIG. 55*




*FIG. 56*

OUTPUT SCOPE CONFIRMATION	
CONFIRM OUTPUT SCOPE PRESS EXECUTE BUTTON AND OUTPUT IS EXECUTED	
DELETE	EXECUTE

5601

FIG. 57



**FIG. 58**

FAIR COPY OUTPUT CONDITION SETTING

MAGNIFICATION: 2 <sup>5802</sup> TIMES

NUMBER OF COPIES: 1 <sup>5803</sup> COPY

LABEL

☒ YES    ☐ NO

<sup>5804</sup>

DRAWING FRAME

☒ YES    ☐ NO

<sup>5805</sup>

DELETE

EXECUTE

<sup>5801</sup>

**FIG. 59**

PHOTOENGRAVING BLOCK COPY (PACKING MATERIAL)				
BLOCK COPY NO. ABC-1234-00		PARTS NO. A0011		
INFORMALITY CARTRIDGE				
APPROVAL	INSPECTION	CREATION		
PRODUCT SYMBOL A0011	CODE 01	DATE 02/02	CORRECTION ITEMS SIZE CHANGE	IN CHARGE <input type="radio"/> <input type="radio"/>
DATE 97/01/01	02	03/03	LINE WIDTH CHANGE	<input type="radio"/> <input type="radio"/>
MEASURE 1/1				

**FIG. 60**

FILE STORAGE			
BLOCK COPY NO : <div style="border: 1px solid black; padding: 2px; text-align: center;">ABC-1234-00</div>		PARTS NO : <div style="border: 1px solid black; padding: 2px; text-align: center;">A0011</div>	
INFORMALITY : <div style="border: 1px solid black; padding: 2px; text-align: center;">CARTRIDGE</div>			
PRODUCER NAME : <div style="border: 1px solid black; padding: 2px; text-align: center;">○○ ○○</div>	DATE : <div style="border: 1px solid black; padding: 2px; text-align: center;">97/01/01</div>	MEASURE : <div style="border: 1px solid black; padding: 2px; text-align: center;">1/1</div>	
CORRECTION RECORD			
CODE : <div style="border: 1px solid black; padding: 2px; text-align: center;">01</div>	CORRECTION ITEMS : <div style="border: 1px solid black; padding: 2px; text-align: center;">SIZE CHANGE</div>	<div style="border: 1px solid black; padding: 2px; display: inline-block;">REGISTRATION</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">REFERENCE</div>	
APPROVAL		INSPECTION	
APPROVED BY NAME : <div style="border: 1px solid black; padding: 2px; text-align: center;">○○ ○○</div> <div style="border: 1px solid black; padding: 2px; text-align: center; width: 80px; float: right;">APPROVAL</div>		INSPECTED BY NAME : <div style="border: 1px solid black; padding: 2px; text-align: center;">○○ ○○</div> <div style="border: 1px solid black; padding: 2px; text-align: center; width: 80px; float: right;">INSPECTION</div>	
		<div style="border: 1px solid black; padding: 2px; display: inline-block;">DELETE</div>	<div style="border: 1px solid black; padding: 2px; display: inline-block;">STORAGE</div>



***FIG. 61***

PAPER SIZE






FIG. 62



*FIG. 63*



**FIG. 64**

A	B	NUMBER OF PAGES : 2/2 PAGE
	C	OUTPUT TIME : 97/05/01 00:00
D		OUTPUT BY NAME : ○○○○

SYMBOL	PAPER	PAPER DIRECTION	BLOCK COPY NAME	PRODUCER	DATE	MEASURE
A :	A3	VERTICAL	○○○○○○	○○○○	97/01/01	1/1
B :	A4	HORIZONTAL	○○○○○○	○○○○	97/02/01	2/1
C :	A4	HORIZONTAL	○○○○○○	○○○○	97/03/01	1/5
D :	A4	VERTICAL	○○○○○○	○○○○	97/04/01	1/2

*FIG. 65*







FIG. 66




**FIG. 67**



**FIG. 68**



*FIG. 69*



*FIG. 70*






FIG. 71






FIG. 72



**FIG. 73**



**FIG. 74**




FIG. 75




FIG. 76







FIG. 77




**FIG. 78**




**FIG. 79**







*FIG. 81*



SELECT




TEMPORARILY  
SPECIFIC DISPLAY  
STATE



INVISIBLE

*FIG. 82A*




*FIG. 82B*









*FIG. 83*



*FIG. 84*



*FIG. 85*



## Replacement Sheet

67/143

FIG. 86


NEW			
NAME OF TYPE STYLE			
☐	Helvetica-Light		
☐	Helvetica-Bold		
☐	Helvetica-Oblique		
☐	Helvetica-BoldOblique		
☐	Helvetica-Condensed-Black		
☐	Helvetica-Condensed-Bold		
☐	Helvetica-Condensed		
☐	HelveticaNeue-Black		
☐	HelveticaNeue-Bold		
NAME OF TYPE STYLE <span style="border: 1px solid black; padding: 2px;">HelveticaNeue-Bold</span>			
BASE ANGLE	0	DEGREE	CIRCUMSCRIBED HEIGHT
VERTICAL ANGLE	100	%	50 mm 1.968504 mm
HORIZONTAL SCALE	100	%	BOX HEIGHT 280.112 CLASS 198.50456 pt
OBLIQUE ANGLE	0	DEGREE	
CHARACTER SPACING	2	%	
LINE SPACING	0	mm	
ENTIRE LENGTH	0	mm	0 mm
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p style="text-align: center; margin-bottom: 5px;">ARRANGEMENT FORM</p> <div style="display: flex; flex-wrap: wrap;"> <div style="width: 30%; text-align: center;"><input type="radio"/> TOP LEFT</div> <div style="width: 30%; text-align: center;"><input type="radio"/> TOP</div> <div style="width: 30%; text-align: center;"><input type="radio"/> TOP RIGHT</div> <div style="width: 30%; text-align: center;"><input type="radio"/> CENTER LEFT</div> <div style="width: 30%; text-align: center;"><input type="radio"/> CENTER</div> <div style="width: 30%; text-align: center;"><input type="radio"/> CENTER RIGHT</div> <div style="width: 30%; text-align: center;"><input checked="" type="radio"/> BOTTOM LEFT</div> <div style="width: 30%; text-align: center;"><input type="radio"/> BOTTOM</div> <div style="width: 30%; text-align: center;"><input type="radio"/> BOTTOM RIGHT</div> </div> </div> <div style="width: 45%;"> <p style="text-align: center; margin-bottom: 5px;">SET FORM</p> <div style="display: flex; justify-content: space-around;"> <input checked="" type="radio"/> LANDSCAPE           <input type="radio"/> PORTRAIT         </div> </div> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 45%;"> <p style="text-align: center; margin-bottom: 5px;">HEIGHT PRIORITY</p> <div style="display: flex; justify-content: space-around;"> <input checked="" type="radio"/> ON           <input type="radio"/> OFF         </div> </div> <div style="width: 45%;"> <p style="text-align: center; margin-bottom: 5px;">REVERSED VIDEO CHARACTER</p> <div style="display: flex; justify-content: space-around;"> <input type="radio"/> BLACK           <input checked="" type="radio"/> WHITE         </div> </div> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 45%;"> <p style="text-align: center; margin-bottom: 5px;">ARRANGEMENT POSITION</p> <div style="display: flex; justify-content: space-around;"> <input type="radio"/> IN           <input checked="" type="radio"/> OUT         </div> </div> <div style="width: 45%;"> <p style="text-align: center; margin-bottom: 5px;">AUTO KERNING</p> <div style="display: flex; justify-content: space-around;"> <input type="radio"/> OFF           <input checked="" type="radio"/> ON         </div> </div> </div>			

DELETE


CALL

NEW DOCUMENT ←


**FIG. 87**




**FIG. 88**




*FIG. 89*




*FIG. 90*







**FIG. 92A**



**FIG. 92B**




*FIG. 93*



*FIG. 94A*

ABC → ABC

*FIG. 94B*









FIG. 97




FIG. 98






FIG. 99



**FIG. 100**



*FIG. 101*






FIG. 102



*FIG. 103*





**FIG. 104**






FIG. 105




*FIG. 106*



*FIG. 107*

(1)	(2)	(3)	(4)	(5)	(6)	(7)
21	OBUN	20.5	15.0	14.6	20.5	Helvetica-Bold
22	OBUN	18.3	12.65	10.6	18.3	Helvetica-BoldOblique
23	OBUN	15.5	13.2	13.2	13.5	Helvetica-Condensed-Bold
			:			
			:			

FIG. 108



*FIG. 109A*

**123.4**

P5401

*FIG. 109B*

**123.4**

P5402

FIG. 110

BEFORE MOVE	AFTER MOVE
123.4	123.4
53.8	53.8
209.66	209.66




FIG. 111




FIG. 112



FIG. 113A




FIG. 113B




FIG. 114A

<u>XB1-2300-00</u>
<u>FH7-4461-01</u>
<u>FB1-4750-00</u>
<u>FH7-8844-01</u>

FIG. 114B

<u>XB1-2300-00</u>
<u>FH7-4461-01</u>
<u>FB1-4750-00</u>
<u>FH7-8844-01</u>

**FIG. 115**

SPECIFIC CHARACTER POSITION DESIGNATION CREATION END
<p>SINCE THERE IS NO SPECIFIC CHARACTER IN CHARACTER STRING, CREATION OF CHARACTER STRING ENDS IN FAILURE</p> <p>OK</p>

11501

**FIG. 117**

TEXT SPECIFIC CHARACTER RETRIEVAL METHOD DESIGNATION
<p>RETRIEVAL DIRECTION</p> <p><input checked="" type="radio"/> HEAD <input type="radio"/> END ORDER <input type="text" value="1"/></p> <p>DELETE EXECUTE</p>

7501

7502

7503

FIG. 116




FIG. 118




FIG. 119




FIG. 120






FIG. 121





*FIG. 122*



*FIG. 123*




FIG. 124




FIG. 125




FIG. 126A




FIG. 126B






FIG. 126C




*FIG. 127*

RESOLUTION INPUT	
PLEASE INPUT RESOLUTION OF OUTPUT DEVICE	
<input type="text"/>	DPI
<input type="button" value="DELETE"/>	<input type="button" value="DECIDE"/>


**FIG. 128A**




**FIG. 128B**




**FIG. 128C**




**FIG. 129A**



**FIG. 129B**



**FIG. 129C**



*FIG. 130*


OUTPUT DEVICE INPUT	
PLEASE DESIGNATE OUTPUT DEVICE	
<input type="checkbox"/>	LBP 730 PS
<input checked="" type="checkbox"/>	LBP 430 PS
<input type="checkbox"/>	LBP 330 PS
<input type="checkbox"/>	LBP 230 PS
<input type="checkbox"/>	LBP 130 PS
<div>DELETE</div> <div>DECIDE</div>	




**FIG. 131**

ENLARGEMENT · REDUCTION SIZE INPUT	
PLEASE INPUT ENLARGEMENT · REDUCTION SIZE	
<input checked="" type="checkbox"/>	HEIGHT DESIGNATION
<input type="checkbox"/>	WIDTH
<input type="text"/>	mm
<div>DELETE</div> <div>DECIDE</div>	


*FIG. 132*




*FIG. 133*




**FIG. 134**



**FIG. 135**



**FIG. 136**



**FIG. 137**

PRINT DATA STORAGE	
SAVE PRINT DATA ?	
<input type="button" value="NO"/>	<input type="button" value="YES"/>

FIG. 138C




FIG. 138B








FIG. 138A



*FIG. 139*



**FIG. 140**





FIG. 141





*FIG. 142*






FIG. 143



*FIG. 144*



*FIG. 145*




FIG. 146




FIG. 147




FIG. 148

NEW TEXT CREATION		
<div>TYPEFACE NAME LIST</div> <div>KakuGothic-Bold</div> <div>MaruGothic-Medium</div> <div><b>HelveticaNeue-Bold</b></div> <div>HelveticaRounded-Bold</div> <div>Times-Roman</div>		<div>CHARACTER SIZE</div> <div>REFERENCE CHARACTER HEIGHT: 10 mm</div> <div>CHARACTER SIZE: 39.701 point</div>
TYPEFACE NAME: ~ 3902		
HelveticaNeue-Bold		
BASE LINE ROTATE ANGLE: 0 deg	OBLIQUE ANGLE: 0 deg	
VERTICAL SCALE: 100 %	CHARACTER SPACING: 0 mm	
HORIZONTAL SCALE: 100 %	LINE SPACING: 0 mm	OVERALL LENGTH: 0 mm
<div>LAYOUT REFERENCE POSITION</div> <div><input type="radio"/> TOP LEFT   <input type="radio"/> TOP CENTER   <input type="radio"/> TOP RIGHT <input type="radio"/> LEFT   <input type="radio"/> CENTER   <input type="radio"/> RIGHT <input checked="" type="radio"/> BOTTOM LEFT   <input type="radio"/> BOTTOM CENTER   <input type="radio"/> BOTTOM RIGHT</div>		<div>SET FORM</div> <div><input checked="" type="radio"/> LANDSCAPE   <input type="radio"/> PORTRATE</div>
<div>LINE JUSTIFICATION</div> <div><input checked="" type="radio"/> LEFT   <input type="radio"/> CENTER <input type="radio"/> RIGHT   <input type="radio"/> FULL</div>		<div>HEIGHT PREFERENCE</div> <div><input checked="" type="radio"/> YES   <input type="radio"/> NO</div>
<div>AUTOMATIC KERNING</div> <div><input checked="" type="radio"/> YES   <input type="radio"/> NO</div>		
<div>DELETE</div> <div>RETRIEVE CHARACTER STRING</div> <div>INPUT CHARACTER STRING</div>		

**FIG. 149**

CHARACTER STRING INPUT		
CHARACTER STRING:		
<div>ABC</div>		
TYPEFACE NAME: HelveticaNeue-Bold		
CHARACTER SIZE: REFERENCE CHARACTER HEIGHT 10.00 mm, CHARACTER SIZE 39.70 point		
BASE LINE ROTATE ANGLE: 0.00 deg    OBLIQUE ANGLE: 0.00 deg		
VERTICAL SCALE: 100.00 %    CHARACTER SPACING: 0.00 mm		
HORIZONTAL SCALE: 100.00 %    LINE SPACING: 0.00 mm    OVERALL LENGTH: 0.00 mm		
LAYOUT REFERENCE POSITION: BOTTOM LEFT    SET FORM: LANDSCAPE		
LINE JUSTIFICATION: LEFT    HEIGHT PREFERENCE: YES		
AUTOMATIC KERNING: YES		
<div>INPUT KERNING</div>	<div>CHANGE TYPEFACE INFORMATION</div>	<div>RETRIEVE CHARACTER STRING</div>
<div>CHANGE INITIAL VALUE</div>	<div>RECOVER INITIAL VALUE</div>	
<div>DELETE</div>		<div>SET</div>



**FIG. 150**

**KERNING INPUT**

HORIZONTAL  
CHARACTER  
SPACING:  
 /96 CHARACTER  
WIDTH

VERTICAL  
CHARACTER  
SPACING:  
 /96 CHARACTER  
HEIGHT

VERTICAL  
LINE SPACING:  
 /96 CHARACTER  
HEIGHT

4101

**FIG. 151**

**CHARACTER STRING RETRIEVAL**

4202

REGISTERED NAME LIST	
WARNING1	WARNING1 NOTE
WARNING2	WARNING2 NOTE
INFORM1	INFORM1 NOTE
INFORM2	INFORM2 NOTE
MESSAGE1	MESSAGE1 NOTE

REGISTERED NAME:

4203

TYPEFACE INFORMATION  
☒ YES    ☐ NO

KERNING INFORMATION  
☒ YES    ☐ NO

4205

4204

4201

*FIG. 152*

RETRIEVE CONTENTS CONFIRMATION	
REGISTERED CHARACTER STRING:	
ABC\t>8@DE\t>2FGH	
TYPEFACE NAME: HelveticaNeue-Bold	
CHARACTER SIZE: REFERENCE CHARACTER HEIGHT 10.00 mm, CHARACTER SIZE 39.70 point	
BASE LINE ROTATE ANGLE: 0.00 deg	OBLIQUE ANGLE: 0.00 deg
VERTICAL SCALE: 100.00 %	CHARACTER SPACING: 0.00 mm
HORIZONTAL SCALE: 100.00 % LINE SPACING: 0.00 mm OVERALL LENGTH: 0.00 mm	
LAYOUT REFERENCE POSITION: BOTTOM LEFT SET FORM: LANDSCAPE	
LINE JUSTIFICATION: LEFT HEIGHT PREFERENCE: YES	
AUTOMATIC KERNING: YES	
<div>CONFIRM</div>	

FIG. 153

TYPEFACE INFORMATION CHANGE		
<b>TYPEFACE NAME LIST</b>		<b>CHARACTER SIZE</b> REFERENCE CHARACTER HEIGHT: <input type="text" value="10"/> mm CHARACTER SIZE: <input type="text" value="39.701"/> point
KakuGothic-Bold		
MaruGothic-Medium		
HelveticaNeue-Bold		
HelveticaRounded-Bold		
Times-Roman		
TYPEFACE NAME: <input type="text" value="4402"/>		
<input type="text" value="HelveticaNeue-Bold"/>		
OBLIQUE ANGLE: <input type="text" value="0"/> deg		
VERTICAL SCALE: <input type="text" value="100"/> %	CHARACTER SPACING: <input type="text" value="0"/> mm	
HORIZONTAL SCALE: <input type="text" value="100"/> %	LINE SPACING: <input type="text" value="0"/> mm	OVERALL LENGTH: <input type="text" value="0"/> mm
<div>DELETE</div> <div>SET</div>		

4401

FIG. 154

TEXT CORRECTION															
<b>TYPEFACE NAME LIST</b>		<b>CHARACTER SIZE</b>													
KakuGothic-Bold		REFERENCE CHARACTER HEIGHT:													
MaruGothic-Medium		<input type="text" value="10"/> mm													
		CHARACTER SIZE:													
HelveticaRounded-Bold		<input type="text" value="39.701"/> point													
Times-Roman															
TYPEFACE NAME: <input type="text" value="HelveticaNeue-Bold"/> 4502															
<b>BASE LINE ROTATE ANGLE:</b>															
<input type="text" value="0"/> deg		<b>OBLIQUE ANGLE:</b>													
		<input type="text" value="0"/> deg													
<b>VERTICAL SCALE:</b>		<b>CHARACTER SPACING:</b>													
<input type="text" value="100"/> %		<input type="text" value="0"/> mm													
<b>HORIZONTAL SCALE:</b>		<b>LINE SPACING:</b>													
<input type="text" value="100"/> %		<input type="text" value="0"/> mm													
		<b>OVERALL LENGTH:</b>													
		<input type="text" value="0"/> mm													
<b>LAYOUT REFERENCE POSITION</b>		<b>SET FORM</b>													
<input type="radio"/> TOP LEFT <input type="radio"/> TOP <input type="radio"/> TOP RIGHT		<input checked="" type="radio"/> LANDSCAPE <input type="radio"/> PORTRATE													
<input type="radio"/> LEFT <input type="radio"/> CENTER <input type="radio"/> RIGHT															
<input checked="" type="radio"/> BOTTOM LEFT <input type="radio"/> BOTTOM <input type="radio"/> BOTTOM RIGHT															
		<b>HEIGHT PREFERENCE</b>													
		<input checked="" type="radio"/> YES <input type="radio"/> NO													
<b>LINE JUSTIFICATION</b>		<b>AUTOMATIC KERNING</b>													
<input checked="" type="radio"/> LEFT <input type="radio"/> CENTER		<input checked="" type="radio"/> YES <input type="radio"/> NO													
<input type="radio"/> RIGHT <input type="radio"/> FULL															
<b>TEXT LINE HEIGHT · TEXT LINE WIDTH:</b>															
<table border="1"><thead><tr><th>LINE NO.</th><th>HEIGHT (mm)</th><th>WIDTH (mm)</th></tr></thead><tbody><tr><td>1</td><td>4.01</td><td>133.02</td></tr><tr><td>2</td><td>4.33</td><td>120.83</td></tr><tr><td>3</td><td>4.07</td><td>100.53</td></tr></tbody></table>				LINE NO.	HEIGHT (mm)	WIDTH (mm)	1	4.01	133.02	2	4.33	120.83	3	4.07	100.53
LINE NO.	HEIGHT (mm)	WIDTH (mm)													
1	4.01	133.02													
2	4.33	120.83													
3	4.07	100.53													
		<b>TEXT HEIGHT:</b>													
		<input type="text" value="12.41"/> mm													
		<b>TEXT WIDTH:</b>													
		<input type="text" value="133.02"/> mm													
4508															
<b>RE-CALCULATE</b>		<b>DELETE</b>													
		<b>CORRECT CHARACTER STRING</b>													
		<b>SET</b>													

4509

4506

4504


4505

4501


*FIG. 155*

CHARACTER STRING REGISTRATION	
REGISTERED NAME LIST ~ 4602	
WARNING1	WARNING1 NOTE
WARNING2	WARNING2 NOTE
INFORM1	INFORM1 NOTE
INFORM2	INFORM2 NOTE
MESSAGE1	MESSAGE1 NOTE
REGISTERED NAME:	
INFORM1 4603	
NOTE:	
INFORM1 NOTE 4604	
DELETE REGISTER 4601	


*FIG. 156*



*FIG. 157*




*FIG. 158*



*FIG. 160*


ABC

FIG. 159







**FIG. 161**




**FIG. 162**




*FIG. 163A*




*FIG. 163B*




*FIG. 163C*




*FIG. 164*



*FIG. 165*




*FIG. 166*




LAYOUT POSITION


*FIG. 167A*




*FIG. 167B*




*FIG. 168A*




*FIG. 168B*




*FIG. 169A*




*FIG. 169B*



*FIG. 170A*




*FIG. 170B*






*FIG. 171A*



*FIG. 171B*



*FIG. 172*

**ABCD EF**

**GHJK**

FIG. 173




FIG. 174A




FIG. 174B



FIG. 174C




FIG. 174D






FIG. 174E




*FIG. 175A*



*FIG. 175B*



*FIG. 175C*



*FIG. 176A*

**ABCD**

*FIG. 176B*

**ABCD**

*FIG. 176C*

**A B C D**


*FIG. 176D*

**ABCD**


*FIG. 176E*

**ABCD**

*FIG. 177A*




*FIG. 177B*



*FIG. 177C*



*FIG. 177D*



**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☒ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**